

9856

(R) Sky M70-M (2310X0WX0)
(L) Sky M70-M (2310X0WVY)

ing report

Automatic programs

Displayed values: Absolute / Measurement standard: SPL 2cc / Output

Calm situation



- WhistleBlock
- NoiseBlock
- WindBlock
- SoundRelax
- Microphone mode

(R)	310	850	1.5k	2.5k	3.6k	6.7k
MPO	94	89	92	97	95	75
G80	8	4	11	20	20	-2
G65	12	8	15	24	24	2
G50	14	11	18	27	28	6
CR	1.2	1.3	1.4	1.4	1.4	1.5
TK	32	27	20	17	15	16

- Off (0)
- Weak (8)
- Moderate (16)
- Weak (8)
- Real ear sound (4)

(L)	310	850	1.5k	2.5k	3.6k	6.7k
MPO	94	89	92	97	95	75
G80	8	4	11	20	20	-2
G65	12	8	15	24	24	2
G50	14	11	18	27	28	6
CR	1.2	1.3	1.4	1.4	1.4	1.5
TK	32	27	20	17	15	16

- Off (0)
- Weak (8)
- Moderate (16)
- Weak (8)
- Real ear sound (4)

Speech in noise



- WhistleBlock
- NoiseBlock
- WindBlock
- SoundRelax
- Microphone mode

(R)	310	850	1.5k	2.5k	3.6k	6.7k
MPO	94	89	92	97	95	75
G80	7	6	13	21	21	-2
G65	11	9	17	25	25	2
G50	14	12	19	28	28	5
CR	1.3	1.3	1.4	1.4	1.4	1.5
TK	31	23	15	12	10	10

- Off (0)
- Weak (8)
- Moderate (16)
- Weak (8)
- UltraZoom & SNR-Boost (20)

(L)	310	850	1.5k	2.5k	3.6k	6.7k
MPO	94	89	92	97	95	75
G80	7	6	13	21	21	-2
G65	11	9	17	25	25	2
G50	14	12	19	28	28	5
CR	1.3	1.3	1.4	1.4	1.4	1.5
TK	31	23	15	12	10	10

- Off (0)
- Weak (8)
- Moderate (16)
- Weak (8)
- UltraZoom & SNR-Boost (20)

Comfort in noise



- WhistleBlock
- NoiseBlock
- WindBlock
- SoundRelax
- Microphone mode

(R)	310	850	1.5k	2.5k	3.6k	6.7k
MPO	94	89	92	97	95	75
G80	5	1	9	18	18	-6
G65	9	5	13	22	22	-2
G50	11	9	16	25	26	2
CR	1.2	1.3	1.4	1.4	1.5	1.5
TK	32	27	20	17	15	16

- Off (0)
- Moderate (12)
- Moderate (16)
- Weak (8)
- Real ear sound (4)

(L)	310	850	1.5k	2.5k	3.6k	6.7k
MPO	94	89	92	97	95	75
G80	5	1	9	18	18	-6
G65	9	5	13	22	22	-2
G50	11	9	16	25	26	2
CR	1.2	1.3	1.4	1.4	1.5	1.5
TK	32	27	20	17	15	16

- Off (0)
- Moderate (12)
- Moderate (16)
- Weak (8)
- Real ear sound (4)


Fitting report

Automatic programs


Displayed values: Absolute / Measurement standard: SPL 2cc / Output

Calm situation

- WhistleBlock
- NoiseBlock
- WindBlock
- SoundRelax
- Microphone mode




- Off (0)
- Weak (8)
- Moderate (16)
- Weak (8)
- Real ear sound (4)




- Off (0)
- Weak (8)
- Moderate (16)
- Weak (8)
- Real ear sound (4)

Speech in noise

- WhistleBlock
- NoiseBlock
- WindBlock
- SoundRelax
- Microphone mode




- Off (0)
- Weak (8)
- Moderate (16)
- Weak (8)
- UltraZoom & SNR-Boost (20)




- Off (0)
- Weak (8)
- Moderate (16)
- Weak (8)
- UltraZoom & SNR-Boost (20)

Comfort in noise

- WhistleBlock
- NoiseBlock
- WindBlock
- SoundRelax
- Microphone mode



- Off (0)
- Moderate (12)
- Moderate (16)
- Weak (8)
- Real ear sound (4)



- Off (0)
- Moderate (12)
- Moderate (16)
- Weak (8)
- Real ear sound (4)

(R) (L)

US 218856

ing report

Music



- WhistleBlock
- NoiseBlock
- WindBlock
- SoundRelax
- Microphone mode

(R)

	310	850	1.5k	2.5k	3.6k	6.7k
MPO	94	89	92	97	95	75
G80	11	7	12	19	18	-5
G65	15	11	15	23	22	-1
G50	17	12	18	25	24	1
CR	1.2	1.3	1.4	1.4	1.4	1.5
TK	31	23	15	12	10	10

- Off (0)
- Off (0)
- Off (0)
- Off (0)
- Real ear sound (4)

(L)

	310	850	1.5k	2.5k	3.6k	6.7k
MPO	94	89	92	97	95	75
G80	11	7	12	19	18	-5
G65	15	11	15	23	22	-1
G50	17	12	18	25	24	1
CR	1.2	1.3	1.4	1.4	1.4	1.5
TK	31	23	15	12	10	10

- Off (0)
- Off (0)
- Off (0)
- Off (0)
- Real ear sound (4)

(R) Sky M70-M (2310X0WX0)
 (L) Sky M70-M (2310X0WWY)

ing report

Media speech + mic



- Input source, Microphone
- WhistleBlock
- NoiseBlock
- WindBlock
- SoundRelax

(R)

	310	850	1.5k	2.5k	3.6k	6.7k
MPO	100	89	92	97	95	76
G80	18	6	13	21	21	-1
G65	22	9	16	25	25	3
G50	24	11	18	28	27	6
CR	1.2	1.3	1.4	1.4	1.4	1.5
TK	31	23	15	12	10	10

- 6 dB
- Off (0)
- Weak (8)
- Off (0)
- Weak (8)

(L)

	310	850	1.5k	2.5k	3.6k	6.7k
MPO	100	89	92	97	95	76
G80	18	6	13	21	21	-1
G65	22	9	16	25	25	3
G50	24	11	18	28	27	6
CR	1.2	1.3	1.4	1.4	1.4	1.5
TK	31	23	15	12	10	10

- 6 dB
- Off (0)
- Weak (8)
- Off (0)
- Weak (8)

Media music + mic



- Input source, Microphone
- WhistleBlock
- NoiseBlock
- WindBlock
- SoundRelax

(R)

	310	850	1.5k	2.5k	3.6k	6.7k
MPO	100	89	92	97	95	76
G80	20	7	12	19	17	-5
G65	24	11	15	23	21	-1
G50	27	13	17	26	23	1
CR	1.3	1.3	1.4	1.4	1.4	1.5
TK	31	23	15	12	10	10

- 6 dB
- Off (0)
- Weak (8)
- Off (0)
- Weak (8)

(L)



	310	850	1.5k	2.5k	3.6k	6.7k
MPO	100	89	92	97	95	76
G80	20	7	12	19	17	-5
G65	24	11	15	23	21	-1
G50	27	13	17	26	23	1
CR	1.3	1.3	1.4	1.4	1.4	1.5
TK	31	23	15	12	10	10

- 6 dB
- Off (0)
- Weak (8)
- Off (0)
- Weak (8)

Fitting report

Music

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100





- WhistleBlock
- NoiseBlock
- WindBlock
- SoundRelax
- Microphone mode

- Off (0)
- Off (0)
- Off (0)
- Off (0)
- Real ear sound (4)

- Off (0)
- Off (0)
- Off (0)
- Off (0)
- Real ear sound (4)

Media speech + mic

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100





- Input source, Microphone
- WhistleBlock
- NoiseBlock
- WindBlock
- SoundRelax

- 6 dB
- Off (0)
- Weak (8)
- Off (0)
- Weak (8)

- 6 dB
- Off (0)
- Weak (8)
- Off (0)
- Weak (8)

Media music + mic

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100



- Input source, Microphone
- WhistleBlock
- NoiseBlock
- WindBlock
- SoundRelax

- 6 dB
- Off (0)
- Weak (8)
- Off (0)
- Weak (8)

- 6 dB
- Off (0)
- Weak (8)
- Off (0)
- Weak (8)

ing report

Streaming programs

Displayed values: Absolute / Measurement standard: SPL 2cc / Output

PartnerMic + mic

	(R)						(L)						
	310	850	1.5k	2.5k	3.6k	6.7k	310	850	1.5k	2.5k	3.6k	6.7k	
MPO	100	89	92	97	95	76	MPO	100	89	92	97	95	76
G80	17	4	11	20	19	-2	G80	17	4	11	20	19	-2
G65	21	7	15	24	24	2	G65	21	7	15	24	24	2
G50	24	11	18	28	27	6	G50	24	11	18	28	27	6
CR	1.2	1.3	1.4	1.4	1.4	1.5	CR	1.2	1.3	1.4	1.4	1.4	1.5
TK	32	27	20	17	15	16	TK	32	27	20	17	15	16

Input source, Microphone
WhistleBlock
NoiseBlock
WindBlock
SoundRelax

-6 dB
Off (0)
Weak (8)
Off (0)
Weak (8)

-6 dB
Off (0)
Weak (8)
Off (0)
Weak (8)

Phone call + mic

	(R)						(L)						
	310	850	1.5k	2.5k	3.6k	6.7k	310	850	1.5k	2.5k	3.6k	6.7k	
MPO	100	89	92	97	95	75	MPO	100	89	92	97	95	75
G80	17	4	11	20	19	-2	G80	17	4	11	20	19	-2
G65	21	7	15	24	24	2	G65	21	7	15	24	24	2
G50	24	11	18	28	27	5	G50	24	11	18	28	27	5
CR	1.2	1.3	1.4	1.4	1.4	1.5	CR	1.2	1.3	1.4	1.4	1.4	1.5
TK	32	27	20	21	28	16	TK	32	27	20	21	28	16

Input source, Microphone
NoiseBlock
WindBlock
SoundRelax

-6 dB
Moderate (12)
Moderate (16)
Weak (8)

-6 dB
Moderate (12)
Moderate (16)
Weak (8)

RogerDirect + mic

	(R)						(L)						
	310	850	1.5k	2.5k	3.6k	6.7k	310	850	1.5k	2.5k	3.6k	6.7k	
MPO	100	89	92	97	95	75	MPO	100	89	92	97	95	75
G80	17	4	11	20	19	-2	G80	17	4	11	20	19	-2
G65	21	7	15	24	24	2	G65	21	7	15	24	24	2
G50	24	11	18	28	27	6	G50	24	11	18	28	27	6
CR	1.2	1.3	1.4	1.4	1.4	1.5	CR	1.2	1.3	1.4	1.4	1.4	1.5
TK	32	27	20	17	15	16	TK	32	27	20	17	15	16

Input source, Microphone
WhistleBlock
NoiseBlock
WindBlock
SoundRelax
Microphone mode

-0 dB
Off (0)
Weak (8)
Moderate (13)
Weak (8)
Fixed directional (12)


-0 dB
Off (0)
Weak (8)
Moderate (13)
Weak (8)
Fixed directional (12)

Streaming programs


Displayed values: Absolute / Measurement standard: SPL 2cc / Output

PartnerMic + mic

Input source, Microphone
WhistleBlock
NoiseBlock
WindBlock
SoundRelax




-6 dB
Off (0)
Weak (8)
Off (0)
Weak (8)




-6 dB
Off (0)
Weak (8)
Off (0)
Weak (8)

Phone call + mic

Input source, Microphone
NoiseBlock
WindBlock
SoundRelax




-6 dB
Moderate (12)
Moderate (16)
Weak (8)




-6 dB
Moderate (12)
Moderate (16)
Weak (8)

RogerDirect + mic

Input source, Microphone
WhistleBlock
NoiseBlock
WindBlock
SoundRelax
Microphone mode



-0 dB
Off (0)
Weak (8)
Moderate (13)
Weak (8)
Fixed directional (12)



-0 dB
Off (0)
Weak (8)
Moderate (13)
Weak (8)
Fixed directional (12)